

ANNUAL REPORT

OF THE

MEDICAL OFFICER OF HEALTH

FOR THE YEAR 1947.

To: -

- (1) The Mayor and Corporation of Stratford-on-Avon;
- (2) The Chairman and Members of the Stratford-on-Avon Rural District Council;
- (3) The Chairman and Members of the Shipston-on-Stour Rural District Council;
- (d) The Chairman and Members of the Alcester Rural District Council.

I beg to submit herewith my Annual Report for the year 1947.

In accordance with Circular 170/47 the Annual Report is on similar lines to those which have been issued during the war period, with the addition that I have been asked to give a survey of the water supplies for the districts.

BOROUGH OF STRATFORD-UPON-AVON

Estimated Population - 13,750.

<u>LIVE BIRTHS</u>	<u>Male</u>	<u>Female</u>	<u>Total</u>
Legitimate	132	123	255
Illegitimate	12	10	22

Birth rate per 1,000 estimated population - 20.1

<u>STILLBIRTHS</u>	<u>Male</u>	<u>Female</u>	<u>Total.</u>
Legitimate	1	5	6
Illegitimate	-	1	1

Rate per 1,000 (live and stillbirths) - 20.6

<u>DEATHS</u>	<u>Male</u>	90	<u>Female</u>	102	<u>Total</u>	192
---------------	-------------	----	---------------	-----	--------------	-----

Death rate per 1,000 estimated population - 13.9

DEATHS FROM PUERPERAL CAUSES.

Puerperal Sepsis.....Nil
Other Puerperal causes.....Nil

DEATH RATES OF INFANTS UNDER ONE YEAR .

All infants per 1,000 live births.....36.1

Deaths from Measles (all ages).....Nil
" " Whooping Cough (all ages).....Nil
" " Diarrhoea (under 2 years)..... 3
" " Cancer (all ages)..... 19

RURAL DISTRICT OF STRATFORD-ON-AVON

Estimated Population - 17,200.

<u>LIVE BIRTHS</u>	<u>Male</u>	<u>Female</u>	<u>Total</u>
Legitimate	170	150	320
Illegitimate	10	10	20

Birth rate per 1,000 estimated population - 19.1

<u>STILLBIRTHS</u>	<u>Male</u>	<u>Female</u>	<u>Total</u>
Legitimate	5	3	8
Illegitimate	1	2	3

Birth rate per 1,000 (live and stillbirths) - 20.4

<u>DEATHS</u>	<u>Male</u>	116	<u>Female</u>	93	<u>Total</u>	209
---------------	-------------	-----	---------------	----	--------------	-----

Death rate per 1,000 estimated population - 12.1

DEATHS FROM PUERPERAL CAUSES.

Puerperal Sepsis.....Nil
Other Puerperal causes.....Nil

DEATH RATE OF INFANTS UNDER ONE YEAR - All infants per 1,000
live births - 41.0

Deaths from Measles (all ages).....Nil
 " " Whooping Cough (all ages).....Nil
 " " Diarrhoea (under 2 years)..... 3
 " " Cancer (all ages)..... 27

RURAL DISTRICT OF SHIPSTON-ON-STOUR

Estimated Population - 7,890

<u>LIVE BIRTHS</u>	<u>Male</u>	<u>Female</u>	<u>Total</u>
Legitimate	69	63	132
Illegitimate	4	5	9

Birth rate per 1,000 estimated population - 17.8

<u>STILLBIRTHS</u>	<u>Male</u>	<u>Female</u>	<u>Total</u>
Legitimate	1	-	1
Illegitimate	-	-	-

Rate per 1,000 (live and stillbirths) - 17.9

<u>DEATHS</u>	<u>Male</u> 55	<u>Female</u> 48	<u>Total</u> 103
---------------	----------------	------------------	------------------

Death rate per 1,000 estimated population - 13.0

DEATHS FROM PUERPERAL CAUSES.....Nil.

DEATH RATE OF INFANTS UNDER ONE YEAR - All infants per 1,000 live births - 28.0

Deaths from Measles (all ages).....Nil
 " " Whooping Cough (all ages).....Nil
 " " Diarrhoea (under 2 years)..... 1
 " " Cancer (all ages)..... 11

RURAL DISTRICT OF LECESTER

Estimated Population - 12,610

<u>LIVE BIRTHS</u>	<u>Male</u>	<u>Female</u>	<u>Total</u>
Legitimate	100	133	233
Illegitimate	4	7	11

Birth rate per 1,000 estimated population - 11.4

<u>STILLBIRTHS</u>	<u>Male</u>	<u>Female</u>	<u>Total</u>
Legitimate	2	4	6
Illegitimate	-	-	-

Rate per 1,000 (live and stillbirths) - 11.8

<u>DEATHS</u>	<u>Male</u> 73	<u>Female</u> 76	<u>Total</u> 146
---------------	----------------	------------------	------------------

Death rate per 1,000 estimated population - 11.5

DEATHS FROM PUERPERAL CAUSES.....Nil.

DEATH RATE OF INFANTS UNDER ONE YEAR - All infants per 1,000 live births - 36.4.

DEATHS FROM MEASLES (all ages).....	Nil
" " WHOOPING COUGH (all ages).....	1
" " DIARRHOEA (under 2 years).....	Nil
" " CANCER (all ages).....	19

NOTIFIABLE DISEASES (AGE GROUPS)

BOROUGH OF STRATFORD-ON-AVON

DISEASES	0-1	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-35	35-45	45-65	Over 65	Age un-k'n	To- tal	Adm- to Hosp.	D i c d
Scarlet Fever		1	1			4	11	2	7	1	2			29	29	
Whooping Cough	7	2	3	5	2	10				1				30		
Pneumonia	1		1	1		3			4	4	15	7	1	37	9	
Erysipelas											1			1		
Polio-mye- litis									1					1	1	
Measles	6	17	13	23	21	77	10	5	6	2	1			181		
Recurrent Malaria									1							
Op th. Neo- natorum	1													1	1	
														1	1	

THE RURAL DISTRICT OF STRATFORD-ON-AVON

DISEASE	0-1	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-35	35-45	45-65	Over 65	Age un-k'n	To- tal	Adm. to Hosp.	D i e d
Scarlet Fever					2	6	7	2	3	1			3	24	23	
Whooping Cough	2		3	2	1	7	1							16		
Pneumonia			1			1			1	2	2	4		11		
Polio mye- litis			1	1		3		1	1					7	7	
Measles	2	10	16	20	17	78	24	7	6	3				183	1	
Cerebro- sp. fever																
Diph- theria									1					1	1	
														1	1	

THE RURAL DISTRICT OF SHIPSTON-ON-STOUR

DISEASE	0-1	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-35	35-45	45-65	Over 65	Age un-k'n	To- tal	Adm- to Hosp.	D i e d
Scarlet Fever					1	1	1	1		1				5	3	
Pneumonia							1			1		1		3		
Measles					1	2		1	1							
Polio- myelitis									1				1	6		
									1					1	1	

THE RURAL DISTRICT OF ALCESTER

DISEASE	0-1	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-35	35-45	45-65	Over 65	Age un- k'n	To- tal	Adm. to Hosp.	D i c e d
Scarlet Fever					2	2	5	1	1		1			12	12	
Whooping Cough	3	3	6	1	3	2								18		
Pneumonia					1	3	1		4	2	12	7		30	3	
Diph- theria						1			1					2	2	
Erysipelas									1					1	1	
Measles	2	28	46	48	47	171	18	3	1	1			1	366		
Poli- encephalitis						1								1	1	

During the year 24 members of His Majesty's Forces were treated in the Isolation Hospital, Stratford-on-Avon.

The following pathological specimens were submitted for examination during the year:-

Throat swabs for Diphtheria Bacilli	-	82
Sputum etc. for Tubercle Bacilli	-	52
Faeces examination for Dysentery	-	2
Blood for Widal's reaction	-	4
Chemical analysis of water	-	44
Bacteriological analysis of water	-	14
Chemical analysis of sewage effluents	-	16
Cerebro-spinal fluid for meningitis	-	3

IMMUNISATION AGAINST DIPHTHERIA

The number of children immunised during 1947 was as follows:-

	<u>Under 5</u>	<u>5 - 14</u>	<u>Total</u>	<u>Booster</u>
Stratford-on-Avon Borough.....	194	23	217	22
Stratford-on-Avon R.D.C.	188	12	206	189
Shipston-on-Stour R.D.C.	106	6	112	109
Alcester R.D.C.	108	8	116	17



Digitized by the Internet Archive
in 2018 with funding from
Wellcome Library

<https://archive.org/details/b30142726>

TUBERCULOSIS.

.5.

The following tables show (1) the incidence of Tuberculosis and (2) deaths from Tuberculosis.

BOROUGH OF STRATFORD-ON-AVON

Age Period	NEW CASES				DEATHS			
	Pulmonary		Non-Pulmonary		Pulmonary		Non-Pulmonary	
	M	F	M	F	M	F	M	F
0 - 1								
1 - 5			1					
5 -10		1						
10 -15			1					
15 -20	1	1			1			
20 -25	2	1			1			
25 -35	1	1						
35 -45	1	1						
45 -55	1							
55 -65	1				1			
65 and upwards								
Age unk'n		1						
Total	7	5	2		3			

RURAL DISTRICT OF STRATFORD-ON-AVON

Age Periods	NEW CASES				DEATHS			
	Pulmonary		Non Pulmonary		Pulmonary		Non-Pulmonary	
	M	F	M	F	M	F	M	F
0 - 1								
1 - 5								
5 -10								
10-15								
15-20								
20-25	1	2						
25-35	1	1						
35-45	1							
45-55		2				1		
55-65								
65 and upwards								
Age unknown								
Total	3	5				1		

THE RURAL DISTRICT OF SHIPSTON-ON-STOUR.

.6.

Age Periods	NEW CASES				DEATHS			
	Pulmonary		Non-Pulmonary		Pulmonary		Non-Pulmonary	
	M	F	M	F	M	F	M	F
0 - 1								
1 - 5								
5 -10								
10 -15								
15 -20								
20 -25			1					
25 -35			1	1				
35 -45								
45 -55	1							
55 -65	1							
65 and upwards								
Age un- known								
Total	2		2	1				

THE RURAL DISTRICT OF ALCESTER

Age Periods	NEW CASES				DEATHS			
	Pulmonary		Non-Pulmonary		Pulmonary		Non-Pulmonary	
	M	F	M	F	M	F	M	F
0 - 1								
1 - 5								
5 -10			1	1				
10 -15			1	1				1
15 -20	1							
20 -25								
25 -35	1	1						
35 -45		1						
45 -55	2				1			
55 -65								
65 and upwards								
Total	4	2	2	2	1			1

CAUSES OF DEATH.

	<u>Stratford</u> <u>Borough</u>		<u>Stratford</u> <u>R.D.C.</u>		<u>Shipston</u> <u>R.D.C.</u>		<u>Alcester</u> <u>R.D.C.</u>	
	M	F	M	F	M	F	M	F
Cerebro spinal fever.....			1					
Tuberculosis (resp.).....	2	1	2	1	3	2		
" (other).....	1			2				1
Influenza.....				1				
Gyphilitic Disease.....	1	1			1			1
Ac. polio-myelitis and poli-encephalitis.....	1	1						
Ac. Inf. enceph.....		1						
Cancer of buc. cav. and oesophagus.....	1	4	1	2	1			
Cancer of stomach.....	4	1	2	2	1		3	1
Cancer of breast.....		2		6	2		1	4
Cancer of other sites.....	8	7	12	2	2	5	7	3
Diabetes.....					1			2
Intracranial vascular lesions	7	17	13	12	6	4	9	8
Heart disease.....	23	18	27	22	15	16	24	19
Other circ. diseases.....	9	8	5	7	7		7	5
Brønchitis.....	6	3	8	3		5	1	4
Pncumonia.....	2	7	8	6	3	1	2	9
Other resp. diseases.....			2			1		1
Ulcer of stomach or duodenum	1	1	3	1	1		1	
Appendicitis.....			1					
Diarrhoea (under two years)	1	3		3	1			
Other digestive diseases...		4	6	3	3	2	3	2
Nephritis.....	1	2		1	2	2	3	1
Premature birth.....	1	1		1		2	2	4
Con. mal. birth injury.....	2		4	2	1		1	
Suicide.....	2	1	2	1				
Road traffic accidents.....		1	2	1	3		2	1
Other violent causes.....	6	4	4	2	1	2		3
All other causes.....	11	14	13	12	6	1	6	8
	<u>90</u>	<u>102</u>	<u>116</u>	<u>93</u>	<u>55</u>	<u>48</u>	<u>73</u>	<u>76</u>

WATER SUPPLIES

BOROUGH OF STRATFORD-UPON-AVON.

During the year ended 31st March 1948 the water supplies for domestic and industrial purposes have been satisfactory as regards both quality and quantity.

Quarterly bacteriological analyses have been made by me and these have on all occasions indicated that the water supply in the Borough is of a high standard of purity. The water is free from any tendency to plumbo-solvent action, and the total hardness is on the average 8 parts per 100,000.

With the exception of a few isolated farms and cottages water is laid on to all dwelling houses in the Borough. The proportion without such direct supply is estimated to be less than 1%.

In connection with post war housing schemes 30 new houses upon the various Corporation Housing Estates were connected to the town mains. In addition 16 houses erected by private enterprise were similarly connected.

Generally.

The water supplies of the town are pumped from artesian borcholes at four sites, viz., Warwick Road, August

Hill, Alveston Hill and Alcester Road respectively. In addition a supplementary supply is available from an upland gathering ground and a storage reservoir at Snitterfield. This supply is drawn upon during period of peak demand during the summer months. Here the method of purification is by prolonged storage in the reservoir, which has a capacity of 20,000,000 gallons, followed by treatment through slow sand filters and chlorination of the filtrate.

Emergency chlorination, instituted during the war in connection with the artesian well supplies, has been continued during the past year.

Bulk supplies are afforded to the Rural District Council of Stratford-on-Avon for distribution in the parishes of Clifford Chambers, Luddington and Bishopton. A scheme of main laying and extension of existing mains was carried out by the Rural District Council during the year, and as a result additional bulk supplies were made available during the year for the following parishes in the Rural District:- Snitterfield, Bearly, Pathlow, Bishopton and Alderminster. This agreement also provides for the Rural District Council of Stratford-on-Avon to afford a supply to an adjoining parish of Wilmcote, situated in the area of the Alcester Rural District Council.

STRATFORD-ON-AVON RURAL DISTRICT.

The following parishes experienced shortage of water during the year:-

Alderminster. The yield of the shallow wells in this parish showed no improvement in the early part of the year, but fortunately the extension of the main from the Atherstone R.A.F. Station has now been completed and most of the houses in the village have been connected to this main, whilst others are being connected at an early date.

Luddington. It was found necessary to augment the local supply by drawing from the North Cotswold source.

Loxley. The normal supply for this village is from springs, but owing to the drop in the yield of these it was found necessary to resort to pumping water from the emergency supply derived from the well adjoining the reservoir.

Kington. It was found necessary to have recourse to the water in the borehole during the year, although generally no difficulty was experienced in supplying the needs of this village.

Bearley. The whole of the supply for this village is now being obtained from the high level tank at the R.A.F. Station at Snitterfield, due to the fact that the mains of the northern water scheme were unable to cope with the demand.

Long Marston and Dorsington. Some shortage was experienced during the early part of the year, due to the fact that the supply which is drawn from the Evesham Rural source was unable to give sufficient water for the inhabitants, and in order to guard against any further shortage these villages have now been connected to the North Cotswold source, where an ample supply exists.

Extensions. The whole of the works in connection with the supply of parishes of Snitterfield, Billesley and Alderminster were completed during the year, and large numbers of small cottages have been connected to these new mains.

General. 45% of the houses in this Rural District are connected to a pipe supply or standpipe.

ALCESTER RURAL DISTRICT

No difficulty was experienced in maintaining the supply to the whole of the area having piped water.

The only trouble experienced was in Studley, where the pressure varies, due to large consumption and small mains, but a new main of 8" diameter is being laid by the East Worcestershire Waterworks Company to the Studley boundary, where the metered supply will be connected to the existing system.

All supplies have been analysed chemically and bacteriologically each quarter and the reports are satisfactory.

The new supply to Wilmore was inaugurated during the year. 103 properties out of 131 now have a piped supply.

During the year a number of dairy farms were given piped supplies, the number of farms now having mains water being 52.

In January the Ministry of Health held a public enquiry in respect of the Council's application for additional water supplies, larger mains and the purchase of Alcester Waterworks Company's undertaking, the proposal of the Consulting Engineers being to carry a trunk main from the East Worcestershire Waterworks Company's system at the Studley boundary to Alcester, with a new reservoir in Coughton Park and a further one in the Alne Hills, Great Alne. This would provide for all the northern part of the area to be supplied with East Worcestershire Company's water. In addition the supply for the southern part of the district would be augmented by the water from the Coventry Aqueduct being fed into the reservoir at Dunnington.

Taking the district as a whole, 90% now have a piped water supply available.

SHIPSTON-ON-STOUR RURAL DISTRICT.

The 27 parishes of the area are mainly situated on the lower Lias clay and the majority of the villages are supplied with spring water issuing from cappings of inferior Oolite on the hills or small superficial deposits on high ground in the middle and upper lias. The small township of Shipston-on-Stour and the villages of Honington, Barchester and Willington obtain water from a limestone cap at Evington, and are the only parishes which use water piped in from outside the area.

Excluding the Shipston-on-Stour system the supplies are very small and incapable of serving the population adequately. The small piped systems feeding to standpipes or public wells cannot be used for full "water laid on to the house" schemes and the lack of water for agriculture and dairy farming is most pronounced.

In drought periods many wells and public supplies run dry or yield low quantities. During the year shortages here occurred as set out hereunder, and details of water analyses are shown.

The Council have had the whole question under review for some time, and the consulting engineers have advised on a scheme to take water from the River Stour. This will provide

for a full supply of water to all parts of the area and probably to parishes in adjoining areas, both for domestic and agricultural needs. The draft of this scheme is now deposited with the Ministry of Health for consideration.

Works of improvement have been carried out during the year at Oxhill, Ilminster, Burnington and Shington. Maintenance of the old systems is heavy and wasteful and every effort is made to keep the supplies in as satisfactory condition as is possible, but the full needs of the area cannot be met until a comprehensive scheme is installed.

Village details are set out hereunder:-

Burmington. The water supply to the village failed during the year and a temporary pipe line was laid from Willington across the fields. The supply is laid on to standpipes set at suitable points in the village.

Brailcs. The low yield of the springs gave rise to shortage and all efforts were made to augment the supply. Restrictions were imposed and have been in force for a considerable time.

Honington. Defects in the old mains at Honington caused certain properties to become short of water. Repairs have been carried out, and a main extension on the Fell Mill Lane will improve conditions to properties on the line.

Halford, Oxhill, Whatcote and Idlicote. The consumption of water has increased to such an extent as to render it difficult to maintain full service. No further connections can be made, and the slightest leakage or additional seasonal consumption results in an empty reservoir. Restrictions on the use of water are imposed.

Ilminster. The supply falls considerably during dry spells and shortage is frequent. All available sources of water in or near the village have been tapped and no improvement in the supply appears to be possible. Restrictions are imposed at regular periods.

Newbold-on-Stour. The main supplies are from private wells, many of which give out for long periods. Temporary tanks are installed in the village and water is carted twice weekly.

Tredington. The wells here are inadequate to supply the village and tanks are installed and water carted twice weekly. A scheme is under consideration to take a supply of water from a private supply and to pump it to temporary standpipes in the village.

Types. The pipe line is insufficient to permit a full supply of water. A further spring has been taken over and part of the water is being used to augment existing supplies, but until a new main is laid the full benefit of the additional water will not be felt. The total yield of all the springs is not sufficient for the full needs of the village.

Water Analysis.

The undementioned water samples have been taken during the year. Where unsatisfactory results are reported the supplies are investigated and remedial measures taken. Samples taken....10. Satisfactory....7. Unsatisfactory....3. No wells were closed during the year

FACTORIES, WORKSHOPS and WORKPLACES.THE BOROUGH OF STAFFORD-ON-AVON.

1. Inspections for purposes of provisions as to health
(including inspections made by Sanitary Inspectors).

Premises	No. on Register	Number of		
		Inspections	Written Notices	Occupiers prosecuted
Factories in which Sections 1, 2, 3, 4 and 6 are to be enforced by Local Authorities	25	6	3	Nil
Factories not included in above in which Sect. 7 is enforced	106	83	7	Nil
Other Premises in which Section 7 is enforced (excluding out-workers' premises)	1	Nil	Nil	Nil
Total	132	89	10	Nil

2. Cases in which Defects were found.

Particulars	Number of cases				No. of prose- cutions
	Found	Potential	Referred		
			To H.M. Inspector	By H.M. Insptr.	
Want of cleanliness	2	2	Nil	Nil	Nil
Overcrowding	1	1	Nil	Nil	Nil
Unreasonable temperature	Nil	Nil	Nil	Nil	Nil
Inadequate ventilation	Nil	Nil	Nil	Nil	Nil
Ineffective drainage of floors	Nil	Nil	Nil	Nil	Nil
Sanitary Conveniences:-					
(a) insufficient	5	1	Nil	Nil	Nil
(b) Unsuitable or defective	2	2	Nil	Nil	Nil
(c) Not separate for sexes	Nil	Nil	Nil	Nil	Nil
Other offences against the Act (not including offences relating to Outwork)	Nil	Nil	Nil	Nil	Nil
Total	10	6	Nil	Nil	Nil

STRATFORD-ON-AVON RURAL DISTRICT

1. Inspections for purposes of provisions as to health (including inspections made by Sanitary Inspectors).

Premises	No. on Register	Number of		
		Inspections	Written Notices	Occupiers prosecuted
Factories in which Sections 1, 2, 3, 4 and 6 are to be enforced by Local Authorities	16	16	2	
Factories not included in above in which Section 7 is enforced	31	14	3	
Other Premises in which Section 7 is enforced (excluding out-workers' premises)	17	6	2	
Total	64	36	7	

2. Cases in which defects were found.

Particulars	Found	No. of cases of which defects were found			No. of cases in which prosecutions were instit- uted.
		Remedied	Referred		
			To H.M. Inspectr.	By H.M. Inspectt.	
Want of cleanliness	4	4			
Overcrowding	-	-			
Unreasonable temp.	-	-			
Inadequate ventilation	-	-			
Ineffective drainage of floors	-	-			
Sanitary Conveniences:					
(a) insufficient	4	3			
(b) Unsuitable or defective	-	-			
(c) Not separate for sexes	2	2			
Other offences against the Act (not incldg. offences relating to Outwork)	-	-			
Total	12	11			

THE RURAL DISTRICT OF SHIPSTON-ON-STOUR

1. Inspections for purposes of provisions as to health (including inspections made by Sanitary Inspectors).

Premises	Number on Register	Number of		
		Inspections	Written Notices	Occupiers prosecuted
Factories in which Sections 1, 2, 3, 4 and 6 are to be enforced by Local Authorities	3	7		
Factories not included in above in which Section 7 is enforced	27	59		
Other Premises in which Section 7 is enforced by the Local Authority (excluding out-workers' premises)				
Total	30	66		

2. Cases in which defects were found.

Particulars	Number of cases in which defects were found				Number of cases in which prosecutions were instituted
	Found	Remedied	Referral		
			To H.M. Inspc tr.	By H.M. Inspector	
Want of cleanliness					
Overcrowding					
Unreasonable temperature					
Inadequate ventilation					
Ineffective drainage of floors					
Sanitary conveniences:					
(a) insufficient	1	1			
(b) unsuitable or defective					
(c) not separate for sexes					
Other offences against the Act (not including offences relating to Outwork)					
Total	1	1			

ALCESTER RURAL DISTRICT

1. Inspections for purposes of provisions as to health (including inspections made by Sanitary Inspectors)

Premises	Number on Register	Number of		
		Inspections	Written Notices	Occupiers prosecuted
Factories in which Sections 1, 2, 3, 4 and 6 are to be enforced by Local Authorities	27	34	4	
Factories not included in above in which Sect. 7 is enforced	3	12	1	
Other Premises in which Section 7 is enforced by the Local Authority (excluding out-workers' premises)	1	2	1	
Total	31	48	6	

2. Cases in which defects were found

Particulars	Number of cases in which defects were found				Number of cases in which prosecutions were instituted
	Found	Remedied	Referred		
			To H.M. Insptr.	By H.M. Insptr.	
Want of cleanliness					
Overcrowding					
Unreasonable temp.					
Inadequate ventilation					
Ineffective drainage of floors					
Sanitary conveniences:					
(a) insufficient	1	1		1	
(b) unsuitable or defective	4	4		4	
(c) Not separate for sexes	1				
Other offences against the Act (not including offences relating to Outwork)					
Total	6	5		5	

11 Guild Street,
Stratford-on-Avon.

L. L. Fyfe
Medical Officer of Health.

